

### 6AG13217TH004AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag13217th004ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	6AG1321-7TH00-4AB0
Notes	Wycofanie produktu od: 19.12.2023
AL Field	N
Compliance	Produkt zgodny z RoHS od: 31.12.2099
Configurable Product	False
ECCN	N
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Customs Tariff Code	85389091
EAN	4042948489406
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
Quantity in Package	1
Packaging Length	13,00
Packaging Width	15,00
Packaging Height	5,00
Product Code	4656
Comparative Metals Coefficient	31.12.2099
Weight	388 kg
Country of Origin	Germany
Article Number	6AG13217TH004AB0
Product Family	SIPLUS S7-300 SM 321
Catalog ID	A&DSE/SIP ADD
Packaging Dimensions	5.197 x 5.945 x 1.89
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Voltage Rating	24 V
Product Group	4656

<b>Net Weight</b>	0.855 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85389091
<b>Number of Poles</b>	40

## Description

SIPLUS PCS 7 SM 321 16DI for medial exposure with conformal coating based on 6ES7321-7TH00-0AB0 . Digital "input ""16 DI; 24 V DC, 1x" "40-pole," "diagnostics-capable," for contacts (wired/ not wired), NAMUR encoder, 3/4-wire "BER0, with chatter ""monitoring;" "Pulse"" extension, Open-circuit" detection Connection IM 153-2 required