

### 6AG1326-2BF10-2AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag1326-2bf10-2ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.45 kgs
<b>eClass 6</b>	27-24-22-04
<b>eClass 7.1</b>	27-24-22-04
<b>eClass 8</b>	27-24-22-04
<b>eClass Version 9</b>	27-24-22-04
<b>eClass Version 9.1</b>	27-24-22-04
<b>ETIM 7</b>	EC001419
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Length</b>	13,00
<b>Packaging Width</b>	15,00
<b>Packaging Height</b>	5,00
<b>Packaging Size</b>	CM
<b>Product ID</b>	6AG1326-2BF10-2AB0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.09.2014
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>Product Description</b>	SIPLUS S7-300 SM 326 10F-DQ based on 6ES7326-2BF10-0AB0 with conformal coating, -25...+60 °C, 70° with forced convection, digital output 24 V DC/2A PP, fail-safe digital output for SIMATIC S7F systems, with diagnostic alarm, LVV, 1x 40-pole
<b>Comparative Metals Coefficient</b>	01.09.2014
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85389091
<b>EAN</b>	4042948543900.0
<b>Quantity in Package</b>	1
<b>Product Code</b>	4646

## Description

6AG1326-2BF10-2AB0 | Siemens, SIPLUS S7-300 Series, Digital Output Module, Digital, 100 mA, 2 A, 24 V dc, DIN Rail Mount, 40 x 120 x 125 mm | Brand / Manufacturer: Siemens | mass: 0.49 | product type: Digital Output Module | series: SIPLUS S7-300 | number of results: 10 | type of output: Digital | module type: Output | input current: 100 mA | output current: 2 A | supply voltage: 24 V dc