

6AG1340-1CH02-2AE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag1340-1ch02-2ae0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
Compliance	Produkt zgodny z RoHS od: 01.01.2012
Configurable Product	False
Country of Origin	DE
ECCN	N
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Length	13,00
Packaging Width	15,00
Packaging Height	4,80
Packaging Size	CM
Product ID	6AG1340-1CH02-2AE0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Product Description	SIPLUS S7-300 CP 340 RS-422/485 based on 6ES7340-1CH02-0AE0 with conformal coating, -25...+60 °C, communications processor with RS-422/485 interface incl. configuration package on CD-ROM
Comparative Metals Coefficient	01.01.2012
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Customs Tariff Code	85176200
EAN	4025515145011.0
Quantity in Package	1
Product Code	4646
UPC	662643395310.0

Description

6AG1340-1CH02-2AE0 | Siemens, Communication Processor Module, 24 V dc, 165 mA, 40 x 120 x 125 mm | Brand / Manufacturer: Siemens | product type: Communication Processor Module | module type: Communication Module | supply voltage: 24 V dc | current rating: 165 mA | data transfer indicator: 2.4 kbit/s (Minimum);19.2 kbit/s (Maximum) | interface type: RS485;RS422 | Size: 40 x 120 x 125 mm | minimum operating temperature: -25 °C | maximum working temperature: +60 °C | mass: 300 g | length: 40 mm | width: 120 mm | depth: 125 mm