

6AG13411AH027AE0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6ag13411ah027ae0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|---|
| Product ID | 6AG1341-1AH02-7AE0 |
| Notes | Wycofanie produktu od: 01.10.2023 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 03.07.2009 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | EAR99H |
| ETIM 7 | EC001423 |
| Group Classification Key | R151 |
| List of Characteristics | A&DSE/SIP ADD |
| Packaging Size | CM |
| Product Description | SIPLUS S7-300 CP 341 based on 6ES7341-1AH02-0AE0 with conformal coating, -25...+70 °C, communications processor with RS-232C interface (RS-232-C) incl. configuration package on CD-ROM |
| REACH | Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7 |
| Unit of Measure | ST |
| Customs Tariff Code | 85176200 |
| EAN | 4042948505601.0 |
| eClass 6 | 27-24-22-08 |
| eClass 7.1 | 27-24-22-08 |
| eClass 8 | 27-24-22-08 |
| eClass Version 9 | 27-24-22-08 |
| eClass Version 9.1 | 27-24-22-08 |
| Quantity in Package | 1 |
| Packaging Length | 13,00 |
| Packaging Width | 15,00 |
| Packaging Height | 5,00 |
| Product Code | 4646 |
| Comparative Metals Coefficient | 03.07.2009 |
| UPC | 40892596311.0 |
| Weight | 304 kg |

Description

The SIPLUS S7-300 CP 341 is a communication processor based on the 6ES7341-1AH02-0AE0, designed for operation in temperatures ranging from -25 to +70 °C. The product features a conformal coating for added protection. Equipped with an RS-232C interface, it is ideal for applications requiring communication. The product is RoHS compliant since 03.07.2009 and meets REACH standards. Packaging dimensions are 13.00 cm in length, 15.00 cm in width, and 5.00 cm in height, with a weight of 304 g. The product is not configurable and is made in Germany.