

### 6AG14165HS067AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag14165hs067ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG1416-5HS06-7AB0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.09.2014
<b>Configurable Product</b>	False
<b>Country of Origin</b>	Germany
<b>ECCN</b>	EAR99H
<b>ETIM 7</b>	EC000236
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Size</b>	CM
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85371091
<b>EAN</b>	4047618008383
<b>eClass 6</b>	27-24-22-07
<b>eClass 7.1</b>	27-24-22-07
<b>eClass 8</b>	27-24-22-07
<b>eClass Version 9</b>	27-24-22-07
<b>eClass Version 9.1</b>	27-24-22-07
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	30,00
<b>Packaging Width</b>	23,00
<b>Packaging Height</b>	6,00
<b>Product Code</b>	4656
<b>Comparative Metals Coefficient</b>	01.09.2014
<b>Weight</b>	1357 kg
<b>Product Description</b>	SIPLUS S7-400 CPU 416-5H -25...+70°C with conformal coating based on 6ES7416-5HS06-0AB0 . Central processing unit for S7-400H and S7-400F/FH, 5 interfaces: 1x MPI/DP, 1x DP, 1x PN and 2 for SYNC modules, 16 MB memory (512 KB data/512 KB program)
<b>Article Number</b>	6AG14165HS067AB0
<b>Product Family</b>	SIPLUS S7-400 CPU 416H
<b>Catalog ID</b>	A&DSE/SIP ADD
<b>Packaging Dimensions</b>	9.449 x 11.811 x 2.756
<b>Package Size Unit of Measure</b>	Inch

<b>Quantity Unit</b>	1 Piece
<b>Product Group</b>	4656
<b>Net Weight</b>	2.549 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85371091

## Description

SIPLUS S7-400 CPU 416-5H -25...+70°C with conformal coating based on 6ES7416-5HS06-0AB0 . Central processing unit for S7-400H and S7-400F/FH, 5 interfaces: 1x MPI/DP, 1x DP, 1x PN and 2 for SYNC modules, 16 MB memory (512 KB data/512 KB program)