

### 6AG14174XT077AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag14174xt077ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	6AG1417-4XT07-7AB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 10.08.2016
Configurable Product	False
Country of Origin	Germany
ECCN	N
ETIM 7	EC000236
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	85371091
EAN	4047618073152
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
Quantity in Package	1
Packaging Length	30,00
Packaging Width	24,00
Packaging Height	7,00
Product Code	4656
Comparative Metals Coefficient	10.08.2016
UPC	195125290686.0
Weight	1004 kg
Article Number	6AG14174XT077AB0
Product Family	SIPLUS S7-400 CPU 417
Catalog ID	A&DSE/SIP ADD
Packaging Dimensions	9.449 x 11.811 x 2.756
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Product Group	4656

<b>Net Weight</b>	2.213 lb
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85371091

## Description

SIPLUS S7-400 CPU 417-4 -25 ... +70°C with conformal coating based on 6ES7417-4XT07-0AB0. Central processing unit with: "Work memory 32 MB, (16 MB code;" 16 MB data) Interfaces 1st "interface MPI 12 Mbit/s; 2nd" interface PROFIBUS DP, 3rd/4th interface plug-in IFM module