

6AG14175HT067AB0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6ag14175ht067ab0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|--------------------------------|--|
| Product ID | 6AG1417-5HT06-7AB0 |
| AL Field | N |
| Compliance | Produkt zgodny z RoHS od: 01.09.2014 |
| Configurable Product | False |
| Country of Origin | DE |
| ECCN | EAR99H |
| ETIM 7 | EC000236 |
| Group Classification Key | R151 |
| List of Characteristics | A&DSE/SIP ADD |
| Packaging Size | CM |
| Product Description | SIPLUS S7-400 CPU 417-5H based on 6ES7417-5HT06-0AB0 with conformal coating, -25...+70 °C, central processing unit for S7-400H, and S7-400F/FH 5 interfaces: 1x MPI/DP, 1x DP, 1x PN and 2 for SYNC modules, 32 MB memory (16 MB data/16 MB program) |
| REACH | Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7 |
| Unit of Measure | ST |
| Weight | 1362 kg |
| Customs Tariff Code | 85371091 |
| EAN | 4047618008390.0 |
| eClass 6 | 27-24-22-07 |
| eClass 7.1 | 27-24-22-07 |
| eClass 8 | 27-24-22-07 |
| eClass Version 9 | 27-24-22-07 |
| eClass Version 9.1 | 27-24-22-07 |
| Quantity in Package | 1 |
| Packaging Length | 30,00 |
| Packaging Width | 23,00 |
| Packaging Height | 6,00 |
| Product Code | 4656 |
| Comparative Metals Coefficient | 01.09.2014 |
| UPC | 804766339004.0 |

Description

SIPLUS S7-400 CPU 417-5H based on 6ES7417-5HT06-0AB0 with conformal coating, operating temperature range -25...+70 °C, central processing unit for S7-400H and S7-400F/FH. It features 5 interfaces: 1x MPI/DP, 1x DP, 1x PN, and 2 for SYNC modules, with 32 MB memory (16 MB data/16 MB program).