

### 6AG15033CC002AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag15033cc002aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG1503-3CC00-2AA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 01.01.2003
<b>Configurable Product</b>	False
<b>Country of Origin</b>	Germany
<b>ECCN</b>	EAR99H
<b>ETIM 7</b>	EC001467
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Size</b>	CM
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85176200
<b>eClass 6</b>	19-17-01-90
<b>eClass 7.1</b>	19-17-01-14
<b>eClass 8</b>	19-17-01-14
<b>eClass Version 9</b>	19-17-01-14
<b>eClass Version 9.1</b>	19-17-01-14
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	18,00
<b>Packaging Width</b>	14,30
<b>Packaging Height</b>	4,80
<b>Product Code</b>	4575
<b>Comparative Metals Coefficient</b>	01.01.2003
<b>UPC</b>	195125101951.0
<b>Weight</b>	431 kg
<b>EAN</b>	4047618101909
<b>Article Number</b>	6AG15033CC002AA0
<b>Product Family</b>	Ordering Data Overview
<b>Catalog ID</b>	A&DSE/SIP ADD
<b>Packaging Dimensions</b>	5.748 x 7.087 x 2.008
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Product Group</b>	4575
<b>Net Weight</b>	0.941 lb

<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85176200
<b>Tightening Torque</b>	1300 Nm

## Description

SIPLUS NET OLM G12-1300 V4.0 -25...+60°C with conformal coating based on 6GK1503-3CC00 .  
PROFIBUS OLM/G12-1300 V4.0 Optical Link Module with 1 RS-485 and 2 glas-LWL- interfaces  
(4 BFOC- Buchsen), 1300Nm wave-length for large distances with signal contact and test  
port.