

6AG15225HH007AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag15225hh007ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG1522-5HH00-7AB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 25.02.2013
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Description	SIPLUS S7-1500 DQ 16x230VAC 2A RLY based on 6ES7522-5HH00-0AB0 with conformal coating, -40...+70 °C, start up -25 °C, digital output module relay 16 channels in groups of 2; 4 A per group; diagnostics
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	85389091
EAN	4047618074418.0
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
Quantity in Package	1
Packaging Length	15,00
Packaging Width	15,00
Packaging Height	4,30
Product Code	4657
Comparative Metals Coefficient	25.02.2013
UPC	804766893278.0
Weight	368 kg

Description

The SIPLUS S7-1500 DQ 16x230VAC 2A RLY output module, based on 6ES7522-5HH00-0AB0, features a conformal coating and operates within a temperature range of -40 to +70 °C, with a startup capability at -25 °C. It provides 16 output channels in groups of 2, with a maximum current of 4 A per group and diagnostic functions. This product is RoHS compliant since 25.02.2013 and is manufactured in Germany.