

6AG16200AA007AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag16200aa007aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG1620-0AA00-7AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 13.12.2017
Configurable Product	False
Country of Origin	Germany
ECCN	EAR99H
ETIM 7	EC001423
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Customs Tariff Code	85176200
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
Quantity in Package	1
Packaging Length	12,50
Packaging Width	9,00
Packaging Height	8,50
Product Code	4575
Comparative Metals Coefficient	13.12.2017
UPC	195125314009.0
Weight	275 kg
Product Description	SIPLUS PN/CAN LINK -40°C - 70 °C with conformal coating based on 6BK1620-0AA00-0AA0. from Profinet to CAN or CANopen networks CAN 2.0A/B CANopen Manager to CiA301/302 CANopen Slave to CiA301/302 IP20
EAN	4047618091705
Article Number	6AG16200AA007AA0
Product Family	SIPLUS PN/CAN LINK
Product Group	4575
Catalog ID	A&DSE/SIP ADD
Net Weight	0.467 lb

Packaging Dimensions	3.15 x 4.724 x 3.543
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85176200
Current Rating	2.0 A
IP Rating	IP20
Operating Temperature Range	-40 to 70 °C

Description

SIPLUS PN/CAN link based on 6BK1620-0AA00-0AA0 with conformal coating, operating temperature range of -40 to +70 °C, facilitating communication from PROFINET to CAN/CANopen networks. Supports CAN 2.0 A/B and CANopen management according to CiA301/302. Product compliant with RoHS since 13.12.2017, with an IP20 rating, designed for industrial environments.