

### 6AG21346JF001CA1

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag21346jf001ca1
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG2134-6JF00-1CA1
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 08.05.2017
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>ETIM 7</b>	EC001596
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIPLUS ET 200SP AI 8xRTD/TC HF T1 rail based on 6ES7134-6JF00-0CA1 with conformal coating, -40...+60 °C, OT2 with ST1/2 (+70 °C für 10 minutes), analog input module, suitable for BU type A0, A1, color code CC00, channel diagnostics, 16-bit, +/-0.1%
<b>Product Code</b>	4C03
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>eClass 7.1</b>	27-24-26-01
<b>Customs Tariff Code</b>	85389091
<b>EAN</b>	4047618082123.0
<b>eClass 6</b>	27-24-26-01
<b>eClass 8</b>	27-24-26-01
<b>eClass Version 9</b>	27-24-26-01
<b>eClass Version 9.1</b>	27-24-26-01
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	7,70
<b>Packaging Width</b>	6,50
<b>Packaging Height</b>	2,30
<b>Comparative Metals Coefficient</b>	08.05.2017
<b>UPC</b>	804766781353.0
<b>Weight</b>	40 kg

## Description

SIPLUS ET 200SP AI 8XRTD/TC HF T1 RAIL -25°C...60°C T1 with 70°C for 10 min with conformal coating based on 6ES7134-6JF00-0CA1. Analog input module, AI 8xRTD/TC 2-wire High Feature suitable for BU type A0, A1, Color code CC00, channel diagnostics, 16 bit, +/-0.1%