

### 6AG2136-6DC00-1CA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag2136-6dc00-1ca0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG2136-6DC00-1CA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 25.07.2017
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>ETIM 7</b>	EC001599
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIPLUS ET 200SP F-DQ 8x24VDC/0.5A rail based on 6ES7136-6DC00-0CA0 with conformal coating, -30...+60 °C, OT1 with ST1/2 (+70 °C für 10 minutes), fail-safe digital outputs Cat. 4, PL e (EN ISO 13849-1) up to SIL 3 (IEC 61508)
<b>Product Code</b>	4C03
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85389091
<b>EAN</b>	4047618104511.0
<b>eClass 6</b>	27-24-26-04
<b>eClass 7.1</b>	27-24-26-04
<b>eClass 8</b>	27-24-26-04
<b>eClass Version 9</b>	27-24-26-04
<b>eClass Version 9.1</b>	27-24-26-04
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	8,80
<b>Packaging Width</b>	6,50
<b>Packaging Height</b>	3,80
<b>Comparative Metals Coefficient</b>	25.07.2017
<b>UPC</b>	195125199569.0
<b>Weight</b>	66 kg

## Description

The SIPLUS ET 200SP F-DQ 8x24VDC/0.5A is a rail-mounted product based on 6ES7136-6DC00-0CA0, featuring fail-safe digital outputs Cat. 4, PL e (EN ISO 13849-1) up to SIL 3 (IEC 61508). It includes a conformal coating for reliability in temperatures ranging from -30 to +60 °C, with a capability of operating at +70 °C for 10 minutes. The product is RoHS compliant since 25.07.2017 and is manufactured in Germany.