

6AG2193-6AM00-4AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag2193-6am00-4aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG2193-6AM00-4AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 28.08.2020
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
ETIM 7	EC002584
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Description	SIPLUS ET 200SP BA 2xM12 rail based on 6ES7193-6AM00-0AA0 with conformal coating, -40...+70 °C, OT4 with ST1/2 (+85 °C for 10 minutes), BusAdapter 2x M12 push-pull sockets for PROFINET, D-coding, also suitable for standard M12
Product Code	4C03
Unit of Measure	ST
Customs Tariff Code	85369010
EAN	4047618120313.0
eClass 6	27-24-26-92
eClass 7.1	27-24-26-92
eClass 8	27-24-26-92
eClass Version 9	27-24-26-92
eClass Version 9.1	27-24-26-92
Quantity in Package	1
Packaging Length	7,80
Packaging Width	6,40
Packaging Height	2,30
Comparative Metals Coefficient	28.08.2020
Weight	71 kg

Description

The SIPLUS ET 200SP BA 2xM12 is based on the 6ES7193-6AM00-0AA0 model, designed for operation in harsh conditions with a temperature range of -40 to +70 °C and short-term resistance to temperatures up to +85 °C. It features two M12 push-pull sockets for PROFINET, D-coding, and is also compatible with standard M12 connectors. The product is RoHS compliant since 28.08.2020 and is not configurable. It weighs 71 g, with packaging dimensions of 7.80 cm in length, 6.40 cm in width, and 2.30 cm in height.