

### 6AG2193-6BP20-4DA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6ag2193-6bp20-4da0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AG2193-6BP20-4DA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 14.12.2012
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	N
<b>eClass 6</b>	27-24-26-03
<b>eClass 7.1</b>	27-24-26-03
<b>eClass 8</b>	27-24-26-03
<b>eClass Version 9</b>	27-24-26-03
<b>eClass Version 9.1</b>	27-24-26-03
<b>ETIM 7</b>	EC001598
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	A&DSE/SIP ADD
<b>Packaging Length</b>	14,60
<b>Packaging Width</b>	4,20
<b>Packaging Height</b>	2,80
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIPLUS ET 200SP BU15-P16+A10+2D TX rail based on 6ES7193-6BP20-0DA0 with conformal coating, -40...+70 °C, OT4 with ST1/2 (+85 °C for 10 minutes), BU type A0, push-in terminals, with 10 AUX terminals, new load group, WxH: 15 mm x141 mm,
<b>Product Code</b>	4C03
<b>Comparative Metals Coefficient</b>	14.12.2012
<b>REACH</b>	Lead CAS-Nr. 7439-92-1
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85389099
<b>EAN</b>	4047618070236.0
<b>Quantity in Package</b>	1
<b>UPC</b>	804766353604.0
<b>Weight</b>	58