

6AG22231PL321XB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag22231pl321xb0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG2223-1PL32-1XB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 15.03.2013
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Description	SIPLUS S7-1200 SM 1223 16DI/16DQ RLY T1 rail based on 6ES7223-1PL32-0XB0 with conformal coating, -25...+60 °C, OT1 with ST1/2 (+70 °C für 10 minutes), digital input/output 16 DI/16DQ, 16 DI 24 V DC, sink/source, 16 DQ relay 2 A
Product Code	4C02
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Weight	328 kg
Customs Tariff Code	85389091
EAN	4047618071264.0
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
Quantity in Package	1
Packaging Length	11,00
Packaging Width	8,60
Packaging Height	8,60
Comparative Metals Coefficient	15.03.2013
UPC	804766671074.0

Description

The SIPLUS S7-1200 SM 1223 is a DIN rail-mounted module providing 16 digital inputs and 16 digital outputs with relays. This product operates within a temperature range of -25 to +60 °C and can withstand short-term exposure to +70 °C. Compliant with RoHS and REACH regulations, the module is designed for use in harsh environments. It weighs 0.15 kg, with packaging dimensions of 11.00 cm in length, 8.60 cm in width, and 8.60 cm in height.