

6AG22315PD321XB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag22315pd321xb0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG2231-5PD32-1XB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 30.08.2013
Configurable Product	False
Country of Origin	Germany
ECCN	EAR99H
ETIM 7	EC001420
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Code	4C02
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Packaging Length	10,90
Customs Tariff Code	85389091
EAN	4047618073107
eClass 6	27-24-22-01
eClass 7.1	27-24-22-01
eClass 8	27-24-22-01
eClass Version 9	27-24-22-01
eClass Version 9.1	27-24-22-01
Quantity in Package	1
Packaging Width	8,80
Packaging Height	5,60
Comparative Metals Coefficient	30.08.2013
Weight	207 kg
Product Description	SIPLUS S7-1200 SM 1231 RTD T1 RAIL -25 ... +55°C T1 with 70°C for 10 min with conformal coating based on 6ES7231-5PD32-0XB0 . SIMATIC S7-1200, Analog input, SM 1231 RTD, 4xAI RTD module
Article Number	6AG22315PD321XB0
Product Family	SIPLUS extreme S7-1200 SM 1231 RTD RAIL
Product Group	4C02
Catalog ID	A&DSE/SIP ADD
Net Weight	0.456 lb
Packaging Dimensions	3.465 x 4.291 x 2.205

Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85389091

Description

The SIPLUS S7-1200 SM 1231 RTD T1 is based on 6ES7231-5PD32-0XB0 and features a conformal coating, designed for operation in temperatures ranging from -25 to +60 °C, OT1 with ST1/2 (+70 °C for 10 minutes). This analog input module for the SIMATIC S7-1200, SM 1231 RTD, provides 4xAI RTD inputs. The product is RoHS compliant since 30.08.2013, with a weight of 207 g. Packaging dimensions are 10.90 x 8.80 x 5.60 cm.