

6AG22435DX301XE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag22435dx301xe0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG2243-5DX30-1XE0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 01.09.2014
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC001423
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Description	SIPLUS S7-1200 CM 1243-5 T1 rail based on 6GK7243-5DX30-0XE0 with conformal coating, -25...+55 °C, OT1 with ST1/2 (+70 °C für 10 minutes), communications module CM 1243-5 for connecting S7-1200 to PROFIBUS as DP master module
Product Code	4C02
REACH	Lead CAS-Nr. 7439-92-1
Unit of Measure	ST
Customs Tariff Code	85176200
EAN	4047618071288.0
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
Quantity in Package	1
Packaging Length	10,90
Packaging Width	9,10
Packaging Height	5,60
Comparative Metals Coefficient	01.09.2014
UPC	804766524646.0
Weight	196 kg

Description

The SIPLUS S7-1200 CM 1243-5 is a communication module based on 6GK7243-5DX30-0XE0, designed for connecting S7-1200 to PROFIBUS as a DP master module. This product features a conformal coating, ensuring reliability in temperatures ranging from -25 to +55 °C, with short-term operation at +70 °C for up to 10 minutes. It is RoHS compliant since 01.09.2014 and is not configurable. The weight is 196 g, and the packaging dimensions are 10.90 cm in length, 9.10 cm in width, and 5.60 cm in height.