

6AG25225HF001AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6ag25225hf001ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AG2522-5HF00-1AB0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 25.02.2013
Configurable Product	False
Country of Origin	DE
ECCN	N
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	A&DSE/SIP ADD
Packaging Size	CM
Product Description	SIPLUS S7-1500 DQ 8x230V AC ST 5A T1 rail based on 6ES7522-5HF00-0AB0 with conformal coating, -25...+60 °C, OT1 with ST1/2 (+70 °C für 10 minutes), digital output module, 8 channels in groups of 1; 5 A per group; diagnostics; substitute value
Product Code	4C04
REACH	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	85389091
EAN	4047618070656.0
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
Quantity in Package	1
Packaging Length	15,50
Packaging Width	15,00
Packaging Height	4,50
Comparative Metals Coefficient	25.02.2013
UPC	804766353673.0
Weight	402 kg

Description

The SIPLUS S7-1500 DQ 8x230V AC ST 5A is a digital output module featuring 8 channels in groups of 1, with a maximum current of 5 A per group. This product is RoHS compliant since 25.02.2013 and includes a conformal coating for reliability in temperatures ranging from -25 to +60 °C. Designed for DIN rail mounting, it offers diagnostic functions and the ability to set substitute values. The product weighs 402 g, with packaging dimensions of 15.50 cm in length, 15.00 cm in width, and 4.50 cm in height.