

6AV2123-2GB03-0AX0

Industrial automation components

Manufacturer	Siemens
Catalog number	6av2123-2gb03-0ax0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.41 kgs
Product ID	6AV2123-2GB03-0AX0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 19.03.2014
Configurable Product	False
Country of Origin	CN
EAN	4034106029210.0
ECCN	EAR99H
eClass 6	27-24-23-02
eClass 7.1	27-24-23-02
eClass 8	27-24-23-02
eClass Version 9	27-33-02-01
eClass Version 9.1	27-33-02-01
ETIM 7	EC001412
Group Classification Key	R141
List of Characteristics	ST80.1J
Quantity in Package	1
Packaging Length	27,60
Packaging Width	20,50
Packaging Height	7,80
Packaging Size	CM
Product Description	SIMATIC HMI, KTP700 Basic, Basic Panel, Key/touch operation, 7" TFT display, 65536 colors, PROFINET interface, configurable from WinCC Basic V13/ STEP 7 Basic V13, contains open-source software, which is provided free of charge see enclosed CD
Product Code	2263
Comparative Metals Coefficient	19.03.2014
REACH	Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
UPC	887621773120.0

Description

The Siemens 6AV2123-2GB03-0AX0 is a 7-inch TFT touch panel from the SIMATIC HMI KTP700 Basic series, designed for intuitive key and touch operation in industrial environments. It features a 7-inch TFT display with 65,536 colors, providing clear and vibrant visuals. The panel supports a PROFINET interface, ensuring seamless integration with Siemens automation systems. Configurable via WinCC Basic V13 or STEP 7 Basic V13, it offers flexibility for various applications. The device includes open-source software, available free of charge on the enclosed CD, facilitating customization and integration. With a net weight of 0.977 kg and dimensions of 20.5 x 27.6 x 7.8 cm, it is suitable for diverse industrial settings. The product complies with RoHS directives and is CE marked, ensuring adherence to international standards.