

6AV2124-0XC02-0AX1

Industrial automation components

Manufacturer	Siemens
Catalog number	6av2124-0xc02-0ax1
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	3.69 kgs
Product ID	6AV2124-0XC02-0AX1
Notes	Przerwanie produkcji od: 01.10.2024
Compliance	Produkt zgodny z RoHS od: 30.08.2017
Configurable Product	False
Country of Origin	DE
ECCN	9N9999
eClass 6	27-24-23-02
eClass 7.1	27-24-23-02
eClass 8	27-24-23-02
eClass Version 9	27-33-02-01
eClass Version 9.1	27-33-02-01
ETIM 7	EC001412
Group Classification Key	R141
List of Characteristics	ST80.1N
Packaging Length	66,00
Packaging Width	52,00
Packaging Height	22,00
Packaging Size	CM
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Product Description	SIMATIC HMI TP2200 Comfort, Comfort Panel, Touch operation, 22" widescreen TFT display, 16 million colors, PROFINET interface, MPI/PROFIBUS DP interface, 24 MB configuration memory, WEC 2013, configurable from WinCC Comfort V14 SP1 with HSP
Comparative Metals Coefficient	30.08.2017
Customs Tariff Code	85371098
EAN	4047623407812.0
Quantity in Package	1
Product Code	3402
UPC	804766523939.0
AL Field	N

Description

6AV2124-0XC02-0AX1 | Siemens, Operator Panel, 24 V dc, 800 x 480 pixels, TFT, 154.1 mm (Width) x 85.9 mm (Height) | Brand / Manufacturer: Siemens | product type: Touch Panel | display type: TFT | display size: 22 in | screen resolution: 1920 x 1080 pixels | color number: 16777216 | number of ports: 3 | port type: RS422;RS485;USB | Size: 560 x 75 x 380 mm | level of security: IP65;IP20 | built-in memory: 24 MB | supply voltage: 24 V dc