

6AV2124-1MC01-0AX0

Industrial automation components

Manufacturer	Siemens
Catalog number	6av2124-1mc01-0ax0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.51 kgs
Customs Tariff Code	85371091
EAN	4025515079033.0
Quantity in Package	1
Product Code	3404
UPC	40892686098.0
Packaging Size	CM
Product Description	SIMATIC KP1200 COMFORT PANEL, PANORAMICZNY WYŚWIETLACZ TFT 12", 16 MILIONÓW KOLORÓW, 34 PRZYCISKI FUNKCYJNE I KLAWIATURA ALFANUMERYCZNA, INTERFEJSY PROFIBUS/MPI, PROFINET/ETHERNET, USB; WINDOWS CE 6.0, WBUDOWANA PAMIĘĆ 12 MB, KONFIGURACJA ZA POMOCĄ TIA PO
Comparative Metals Coefficient	31.01.2011
Unit of Measure	ST
Product ID	6AV2124-1MC01-0AX0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 31.01.2011
Configurable Product	False
Country of Origin	DE
ECCN	5A992
eClass 6	27-24-23-02
eClass 7.1	27-24-23-02
eClass 8	27-24-23-02
eClass Version 9	27-33-02-01
eClass Version 9.1	27-33-02-01
ETIM 7	EC001412
Group Classification Key	R141
List of Characteristics	ST80.1N
Packaging Length	53,00
Packaging Width	41,00
Packaging Height	18,00

Description

The Siemens 6AV2124-1MC01-0AX0 is a high-performance Human-Machine Interface (HMI) panel designed for industrial automation applications. This Comfort Panel features a 12.1-inch widescreen TFT display capable of displaying 16 million colors, ensuring clear and intuitive visualization of process data. It operates on Windows CE 6.0 and is configurable via WinCC Comfort V11, providing flexibility for various industrial environments. The panel is equipped with 12 MB of configuration memory, facilitating efficient handling of complex applications. Connectivity options include PROFINET and MPI/PROFIBUS DP interfaces, allowing seamless integration into diverse automation systems. The device is housed in a robust enclosure with dimensions of 454 mm in width, 289 mm in height, and 65 mm in depth, and weighs approximately 4.4 kg, making it suitable for both control rooms and production lines. The 6AV2124-1MC01-0AX0 is ideal for applications requiring reliable and efficient human-machine interaction in industrial settings.