

### 6AV2128-3QB27-1BX0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6av2128-3qb27-1bx0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AV2128-3QB27-1BX0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 16.03.2020
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>ETIM 7</b>	EC001412
<b>Group Classification Key</b>	R141
<b>List of Characteristics</b>	ST80.1
<b>Packaging Size</b>	MM
<b>Product Description</b>	SIMATIC HMI MTP1500 PRO, for supporting foot (expandable, flange at bottom), 15.6" widescreen TFT display, 16 million colors, PROFINET interface, configurable as of WinCC Unified Comfort V18, contains open-source software, which is provided free of charge
<b>Product Code</b>	X00F
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	85371098
<b>EAN</b>	4047623413639.0
<b>eClass 6</b>	27-24-23-02
<b>eClass 7.1</b>	27-24-23-02
<b>eClass 8</b>	27-24-23-02
<b>eClass Version 9</b>	27-33-02-01
<b>eClass Version 9.1</b>	27-33-02-01
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	468,00
<b>Packaging Width</b>	335,00
<b>Packaging Height</b>	144,00
<b>Comparative Metals Coefficient</b>	16.03.2020
<b>UPC</b>	195125408760.0
<b>Weight</b>	6100 kg

## Description

SIMATIC HMI MTP1500 PRO, for supporting foot (expandable, flange at bottom), 15.6" widescreen TFT display, 16 million colors, PROFINET interface, configurable as of WinCC Unified Comfort V18, contains open-source software, which is provided free of charge