

### 6AV66461BB150NA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6av66461bb150na0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	6AV6646-1BB15-0NA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 15.02.2018
Configurable Product	False
ECCN	5A992
ETIM 7	EC001414
Group Classification Key	R141
List of Characteristics	ST80.1L
Packaging Size	CM
Product Code	4B45
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Quantity in Package	1
Customs Tariff Code	84719000
eClass 6	27-24-23-01
eClass 7.1	27-24-23-01
eClass 8	27-24-23-01
eClass Version 9	19-20-01-03
eClass Version 9.1	19-20-01-03
Packaging Length	46,80
Packaging Width	30,40
Packaging Height	19,70
Comparative Metals Coefficient	15.02.2018
Weight	7220 kg
Product Description	SIMATIC ITC1500 V3 PRO, Industrial Thin Client, 15" widescreen TFT display, capacitive touch sensor, Supported protocols: RDP, VNC, Smart Server, HTML5, etc., neutral design, supporting foot mounting
EAN	4047623410072
Country of Origin	Germany
Article Number	6AV66461BB150NA0
Product Family	Ordering Data Overview
Product Group	4B45
Catalog ID	ST80.1L
Net Weight	15.917 lb

<b>Packaging Dimensions</b>	20.079 x 25.984 x 8.661
<b>Package Size Unit of Measure</b>	Inch
<b>Quantity Unit</b>	1 Piece
<b>Packaging Quantity</b>	1 pieces
<b>Commodity Code</b>	85371098

## Description

The SIMATIC ITC1500 V3 PRO is an industrial thin client featuring a 15-inch widescreen TFT display and a capacitive touch sensor. It supports protocols such as RDP, VNC, Smart Server, HTML5, and more. The product boasts a neutral design and supports foot mounting. Compliant with RoHS since 15.02.2018, it is not configurable. Packaging dimensions are 46.80 x 30.40 x 19.70 cm, with a weight of 7220 g.