

### 6AV66461BC150AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6av66461bc150aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Product ID</b>	6AV6646-1BC15-0AA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 15.02.2018
<b>Configurable Product</b>	False
<b>Country of Origin</b>	Germany
<b>ECCN</b>	5A992
<b>ETIM 7</b>	EC001414
<b>Group Classification Key</b>	R141
<b>List of Characteristics</b>	ST80.1L
<b>Packaging Size</b>	CM
<b>Product Code</b>	4B45
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Customs Tariff Code</b>	84719000
<b>EAN</b>	4047623409939
<b>eClass 6</b>	27-24-23-01
<b>eClass 7.1</b>	27-24-23-01
<b>eClass 8</b>	27-24-23-01
<b>eClass Version 9</b>	19-20-01-03
<b>eClass Version 9.1</b>	19-20-01-03
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	46,70
<b>Packaging Width</b>	30,90
<b>Packaging Height</b>	19,70
<b>Comparative Metals Coefficient</b>	15.02.2018
<b>Weight</b>	7274 kg
<b>Product Description</b>	SIMATIC ITC1500 V3 PRO, Industrial Thin Client, 15" widescreen TFT display, capacitive touch sensor Supported protocols: RDP, VNC, Smart Server, HTML5, etc., standard design, prepared for support arm without expansion elements
<b>Product Family</b>	SIMATIC Industrial Thin Client PRO
<b>Catalog ID</b>	ST80.1L
<b>Packaging Dimensions</b>	20.079 x 25.984 x 8.661
<b>Package Size Unit of Measure</b>	Inch

<b>Quantity Unit</b>	1 Piece
<b>Article Number</b>	6AV66461BC150AA0
<b>Net Weight</b>	16.036 lb
<b>Packaging Quantity</b>	1 pieces
<b>Product Group</b>	4B45
<b>Commodity Code</b>	85371098

## Description

The SIMATIC ITC1500 V3 PRO is an industrial thin client featuring a 15-inch widescreen TFT display and a capacitive touch sensor. It supports protocols such as RDP, VNC, Smart Server, HTML5, and more. The product has a standard design, prepared for support arm mounting without expansion elements. Compliant with RoHS since 15.02.2018, it is manufactured in Germany.