

6AV66461BC180AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6av66461bc180aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AV6646-1BC18-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 15.02.2018
Configurable Product	False
Country of Origin	Germany
ECCN	5A992
ETIM 7	EC001414
Group Classification Key	R141
List of Characteristics	ST80.1L
Packaging Size	CM
Product Code	4B45
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
Customs Tariff Code	84719000
EAN	4047623409977
eClass 6	27-24-23-01
eClass 7.1	27-24-23-01
eClass 8	27-24-23-01
eClass Version 9	19-20-01-03
eClass Version 9.1	19-20-01-03
Quantity in Package	1
Packaging Length	63,00
Packaging Width	41,00
Packaging Height	21,00
Comparative Metals Coefficient	15.02.2018
Weight	8780 kg
Product Description	SIMATIC ITC1900 V3 PRO, Industrial Thin Client, 19" widescreen TFT display, capacitive touch sensor Supported protocols: RDP, VNC, Smart Server, HTML5 etc. standard design, prepared for support arm without expansion elements
Article Number	6AV66461BC180AA0
Product Family	SIMATIC Industrial Thin Client PRO
Product Group	4B45
Catalog ID	ST80.1L

Net Weight	19.357 lb
Packaging Dimensions	20.079 x 25.984 x 8.661
Package Size Unit of Measure	Inch
Quantity Unit	1 Piece
Packaging Quantity	1 pieces
Commodity Code	85371098

Description

The SIMATIC ITC1900 V3 PRO is an industrial thin client featuring a 19-inch widescreen TFT display and a capacitive touch sensor. The product is RoHS compliant since February 15, 2018, and is not configurable. It supports protocols such as RDP, VNC, Smart Server, and HTML5. Designed for support arm mounting without expansion elements, it has a weight of 8780 g and packaging dimensions of 63.00 x 41.00 x 21.00 cm. Manufactured in Germany, it is classified under commodity code 4B45.