

### 6AV76741LA330AA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6av76741la330aa0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Product ID	6AV7674-1LA33-0AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 31.07.2017
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
ETIM 7	EC002584
Group Classification Key	R141
List of Characteristics	ST80.1T
Packaging Size	CM
Product Description	Extension Unit 12" PROFISAFE compatible with all IP65 fully enclosed 16:9 HMI/IPC devices. flexible configuration of control elements; 6 mounting positions; 6 control elements can be installed; PROFISAFE connection (control elements ordered separately)
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
Customs Tariff Code	85371098
EAN	4025515738763.0
eClass 6	27-24-92-03
eClass 7.1	27-24-92-03
eClass 8	27-24-92-03
eClass Version 9	27-33-02-92
eClass Version 9.1	27-33-02-92
Quantity in Package	1
Packaging Length	43,00
Packaging Width	11,30
Packaging Height	11,30
Product Code	3402
Comparative Metals Coefficient	31.07.2017
UPC	804766755200.0
Weight	2206 kg

## Description

The 12" extension unit is PROFISAFE compatible and designed for all fully enclosed 16:9 HMI/IPC devices with IP65 protection. It allows flexible configuration of control elements with 6 mounting positions, accommodating up to 6 control elements. PROFISAFE connection is available (control elements must be ordered separately).