

6AV7863-6MA16-2AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6av7863-6ma16-2aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Product ID	6AV7863-6MA16-2AA0
AL Field	N
Compliance	Produkt zgodny z RoHS od: 16.07.2019
Configurable Product	False
Country of Origin	DE
ECCN	EAR99H
ETIM 7	EC001428
Group Classification Key	R133
List of Characteristics	ST80.1T
Packaging Size	CM
Product Description	SIMATIC IFP1900 V2 PRO, 19 multi-touch display (16:9) with 1920x1080 pixel resolution, PRO variant support arm, with operator control, for 24 V DC, DisplayPort, can be placed up to 100 m away HDBaseT, USB on the rear side, standard design
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420
Unit of Measure	ST
Customs Tariff Code	85285210
EAN	4047618110901.0
eClass 6	19-20-02-01
eClass 7.1	19-20-02-01
eClass 8	19-20-02-01
eClass Version 9	19-20-02-01
eClass Version 9.1	19-20-02-01
Quantity in Package	1
Packaging Length	66,00
Packaging Width	55,00
Packaging Height	27,50
Product Code	4218
Comparative Metals Coefficient	16.07.2019
Weight	9520 kg

Description

The SIMATIC IFP1900 V2 PRO is a 19-inch multi-touch display with a 16:9 aspect ratio and a resolution of 1920x1080 pixels. The PRO variant supports an arm mount and features operator control. It operates at 24 V DC and includes DisplayPort and USB interfaces located on the rear side. The device can be placed up to 100 m away from the signal source using HDBaseT technology. This product is RoHS compliant since 16.07.2019 and is manufactured in Germany. It weighs 9520 g, with packaging dimensions of 66.00 x 55.00 x 27.50 cm.