

### 6ES7132-6BD20-0BA0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7132-6bd20-0ba0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.02 kgs
<b>Quantity in Package</b>	1
<b>Product Code</b>	4520
<b>UPC</b>	40892933413.0
<b>Customs Tariff Code</b>	85389091
<b>EAN</b>	4025515080794.0
<b>eClass 8</b>	27-24-26-04
<b>eClass Version 9</b>	27-24-26-04
<b>eClass Version 9.1</b>	27-24-26-04
<b>ETIM 7</b>	EC001599
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	ST76
<b>Packaging Length</b>	7,80
<b>Packaging Width</b>	6,80
<b>Packaging Height</b>	2,40
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC ET 200SP, MODUŁ WYJŚĆ BINARNYCH, 4 WYJŚCIA (24V DC/2A) STANDARD, TYP PODSTAWKI BU - A0, KOD KOLORU CC02, WBUDOWANA DIAGNOSTYKA
<b>Comparative Metals Coefficient</b>	31.01.2012
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) 1b1REACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
<b>Unit of Measure</b>	ST
<b>Product ID</b>	6ES7132-6BD20-0BA0
<b>AL Field</b>	N
<b>Compliance</b>	Produkt zgodny z RoHS od: 31.01.2012
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>ECCN</b>	EAR99H
<b>eClass 6</b>	27-24-26-04
<b>eClass 7.1</b>	27-24-26-04

## Description

6ES7-132-6BD20-0BA0 | Siemens SIMATIC ET Series Digital Electronic Module, 2 A, 24 V dc, 15 x 73 x 58 mm | Brand / Manufacturer: Siemens | product type: Digital Electronic Module | series: SIMATIC ET | number of results: 4 | type of output: Digital | module type: Digital Electronic Module | input current: 60 mA | output current: 2 A (Rated);0.1 mA (Maximum Residual Current) | supply voltage: 24 V dc | Size: 15 x 73 x 58 mm