

6ES7211-1AE40-0XB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7211-1ae40-0xb0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.14 kgs
Unit of Measure	ST
UPC	887621768690.0
Product ID	6ES7211-1AE40-0XB0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 12.12.2013
Configurable Product	False
Country of Origin	CN
EAN	4047623402671.0
ECCN	EAR99H
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R132
List of Characteristics	ST72
Quantity in Package	1
Packaging Length	10,60
Packaging Width	10,10
Packaging Height	8,70
Packaging Size	CM
Product Description	SIMATIC S7-1200, CPU 1211C, compact CPU, DC/DC/DC, onboard I/O: 6 DI 24 V DC; 4 DO 24 V DC; 2 AI 0-10 V DC, power supply: DC 20.4-28.8 V DC, program/data memory 75 KB
Product Code	4509
Comparative Metals Coefficient	12.12.2013
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7

Description

6ES7211-1AE40-0XB0 | Siemens, CPU Module, 24 V dc, Capacity 50 KB (Working Memory) |
Brand / Manufacturer: Siemens | product type: CPU Module | supply voltage: 24 V dc |
program capacity: 50 KB (Working Memory) | power consumption: 300 mA | inrush current: 12
A | CPU processing time: 0.08 μ s (Bit Operations);1.7 μ s (Word Operations);2.3 μ s
(Floating Point Arithmetic) | number of digital inputs: 6 | number of digital outputs: 4
| interface type: PROFINET Ethernet | a programming language: LAD;FBD;SCL | power loss: 8
W | encoder power supply: 24 V