

6ES7214-1HG40-0XB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7214-1hg40-0xb0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.11 kgs
Product ID	6ES7214-1HG40-0XB0
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 12.12.2013
Configurable Product	False
Country of Origin	CN
EAN	4047623402732.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R132
List of Characteristics	ST72
Quantity in Package	1
Packaging Length	11,60
Packaging Width	11,40
Packaging Height	8,30
Packaging Size	CM
Product Description	SIMATIC S7-1200, CPU 1214C, compact CPU, DC/DC/relay, onboard I/O: 14 DI 24 V DC; 10 DO relay 2 A; 2 AI 0-10 V DC, power supply: DC 20.4-28.8 V DC, program/data memory 150 KB
Product Code	4509
Comparative Metals Coefficient	12.12.2013
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	887621769062.0

Description

6ES7214-1HG40-0XB0 | Siemens 24 V dc, SIMATIC S7-1200, PROFINET | Brand / Manufacturer: Siemens | product type: Central Processing Unit | supply voltage: 24 V dc | program capacity: 100 kB | power consumption: 1500 mA | inrush current: 12 A @ 28.8 V | CPU processing time: 0.08 | for use with: SIMATIC S7-1200 | number of digital inputs: 14 | number of digital outputs: 10 | interface type: PROFINET