

### 6ES7223-1BH32-0XB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7223-1bh32-0xb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.07 kgs
<b>Product ID</b>	6ES7223-1BH32-0XB0
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85389091
<b>Compliance</b>	Produkt zgodny z RoHS od: 15.03.2013
<b>Configurable Product</b>	False
<b>Country of Origin</b>	CN
<b>EAN</b>	6940408101982.0
<b>ECCN</b>	EAR99H
<b>eClass 6</b>	27-24-22-04
<b>eClass 7.1</b>	27-24-22-04
<b>eClass 8</b>	27-24-22-04
<b>eClass Version 9</b>	27-24-22-04
<b>eClass Version 9.1</b>	27-24-22-04
<b>ETIM 7</b>	EC001419
<b>Group Classification Key</b>	R132
<b>List of Characteristics</b>	ST72
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	10,80
<b>Packaging Width</b>	8,80
<b>Packaging Height</b>	5,70
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7-1200, MODUŁ WEJŚĆ/WYJŚĆ BINARNYCH SM 1223, 8 WEJŚĆ BINARNYCH (24V DC TYPU SINK/SOURCE) / 8 WYJŚĆ BINARNYCH (24V DC, TRANZYSTOROWYCH 0.5A)
<b>Product Code</b>	4508
<b>Comparative Metals Coefficient</b>	15.03.2013
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
<b>Unit of Measure</b>	ST
<b>UPC</b>	887621292881.0

## Description

6ES7223-1BH32-0XB0 | Siemens SIMATIC S7-1200 Series Digital Input Module, 145 mA Input, 0.5 A Output, 24 V dc, 10  $\mu$ s, 45 x 100 x 75 mm | Brand / Manufacturer: Siemens | height: 108 | width: 90 | depth: 56 | mass: 0.2 | product type: Digital Input Module | series: SIMATIC S7-1200 | number of contributions: 8 | number of results: 8 | type of contribution: Digital | type of output: Digital | module type: Digital Input Module | input current: 145 mA (Backplane);4 mA (Load Voltage) | output current: 0.5 A (for Signal 1 Permissible Range, Max);10  $\mu$ A (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | switch-on time: 0.5  $\mu$ s | off time: 10  $\mu$ s | Size: 45 x 100 x 75 mm