

### 6ES7223-1BL32-0XB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7223-1bl32-0xb0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

Weight	0.05 kgs
Product ID	6ES7223-1BL32-0XB0
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 15.03.2013
Configurable Product	False
Country of Origin	CN
EAN	6940408102002.0
ECCN	EAR99H
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R132
List of Characteristics	ST72
Quantity in Package	1
Packaging Length	11,10
Packaging Width	8,80
Packaging Height	8,50
Packaging Size	CM
Product Description	SIMATIC S7-1200, MODUŁ WEJŚĆ/WYJŚĆ BINARNYCH SM 1223, 16 WEJŚĆ BINARNYCH (24V DC TYPU SINK/SOURCE) / 16 WYJŚĆ BINARNYCH (24V DC, TRANZYSTOROWYCH 0.5A)
Product Code	4508
Comparative Metals Coefficient	15.03.2013
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236
Unit of Measure	ST
UPC	887621216887.0

## Description

6ES7223-1BL32-0XB0 | Siemens SIMATIC S7-1200 Series Digital Input Module, 185 mA Input, 0.5 A Output, 24 V dc, 10  $\mu$ s, 70 x 100 x 75 mm | Brand / Manufacturer: Siemens | height: 109 | width: 90 | depth: 86 | mass: 0.3 | product type: Digital Input Module | series: SIMATIC S7-1200 | number of contributions: 16 | number of results: 16 | type of contribution: Digital | type of output: Digital | module type: Digital Input Module | input current: 185 mA (Backplane);4 mA (Load Voltage) | output current: 0.5 A (for Signal 1 Permissible Range, Max);10  $\mu$ A (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | switch-on time: 0.5  $\mu$ s | off time: 10  $\mu$ s | Size: 70 x 100 x 75 mm