

6ES7312-1AE14-0AB0

Industrial automation components

| | |
|-----------------------|----------------------------------|
| Manufacturer | Siemens |
| Catalog number | 6es7312-1ae14-0ab0 |
| Category | Industrial automation components |
| Product type | Industrial automation components |
| Status | Active product |

Technical specification

| | |
|---------------------------------------|--|
| Weight | 0.09 kgs |
| Product ID | 6ES7312-1AE14-0AB0 |
| Notes | Wycofanie produktu od: 01.10.2023 |
| AL Field | N |
| Customs Tariff Code | 85371091 |
| Compliance | Produkt zgodny z RoHS od: 25.11.2009 |
| Configurable Product | False |
| Country of Origin | DE |
| EAN | 4025515077701.0 |
| ECCN | EAR99H |
| eClass 6 | 27-24-22-07 |
| eClass 7.1 | 27-24-22-07 |
| eClass 8 | 27-24-22-07 |
| eClass Version 9 | 27-24-22-07 |
| eClass Version 9.1 | 27-24-22-07 |
| ETIM 7 | EC000236 |
| Group Classification Key | R132 |
| List of Characteristics | ST73 |
| Quantity in Package | 1 |
| Packaging Length | 15,10 |
| Packaging Width | 13,10 |
| Packaging Height | 5,10 |
| Packaging Size | CM |
| Product Description | SIMATIC S7-300, jednostka centralna CPU 312, interfejs MPI, 32 KB pamięci work, wymagana karta MMC |
| Product Code | 4302 |
| Comparative Metals Coefficient | 25.11.2009 |
| REACH | Lead CAS-Nr. 7439-92-1; lblREACHCode0236 lblREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7 |
| Unit of Measure | ST |
| UPC | 40892550283.0 |

Description

6ES7312-1AE14-0AB0 | Siemens CPU Module, 24 Vdc with LAD, FBD, SCL, STL, Graph, HiGraph | Brand / Manufacturer: Siemens | mass: 0.3 | product type: CPU Module | supply voltage: 24 V dc | program capacity: 32 KB (Working Memory) | power consumption: <100 mA | CPU processing time: 0.1 μ s (Bit Operation) | for use with: Simatic S7-300 | number of digital inputs: 64 | number of digital outputs: 64 | interface type: MPI | a programming language: LAD;FBD;SCL;STL;Graph;HiGraph | power loss: 4 W