

6ES7312-5BF04-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7312-5bf04-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
Product ID	6ES7312-5BF04-0AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 20.05.2011
Configurable Product	False
Country of Origin	DE
EAN	4025515079064.0
ECCN	EAR99H
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R132
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,30
Packaging Width	13,10
Packaging Height	8,90
Packaging Size	CM
Product Description	SIMATIC S7-300, JEDNOSTKA CENTRALNA KOMPAKTOWA CPU 312C, INTERFEJS MPI, WBUDOWANE: 10 WEJŚĆ/6 WYJŚĆ BINARNYCH, 2 SZYBKIE LICZNIKI (10 KHZ), 64 KB PAMIĘCI WORK, WYMAGANA KARTA MMC I 1 LISTWA PRZYŁĄCZENIOWA 40 PIN
Product Code	4302
Comparative Metals Coefficient	20.05.2011
REACH	Lead CAS-Nr. 7439-92-1; lblREACHCode0236 lblREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	40892788556.0

Description

6ES7312-5BF04-0AB0 | Siemens, CPU Module, 24 V dc, 64 kB, 570 mA, 5 A, 1.1 μ s, Ethernet/PROFINET/RS485/RS422 | Brand / Manufacturer: Siemens | height: 100 | width: 90 | depth: 130 | mass: 0.45 | product type: CPU Module | supply voltage: 24 V dc | program capacity: 64 kB | power consumption: 570 mA | inrush current: 5 A | CPU processing time: 1.1 μ s | number of digital inputs: 10 | number of digital outputs: 6 | interface type: EtherNet;PROFINET;RS485;RS422 | a programming language: LAD;FBD;STL;SCL;GRAPH;HiGraph® | power loss: 8 W