

6ES7315-2EH14-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7315-2eh14-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.04 kgs
Product ID	6ES7315-2EH14-0AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 25.11.2009
Configurable Product	False
Country of Origin	DE
EAN	4025515077770.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R132
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,10
Packaging Width	13,10
Packaging Height	5,20
Packaging Size	CM
Product Description	SIMATIC S7-300, jednostka centralna CPU 315-2 PN/DP, interfejsy: MPI/DP i Ethernet/PROFINET (switch 2 x RJ45), 384 KB pamięci work, wymagana karta MMC
Product Code	4302
Comparative Metals Coefficient	25.11.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \bLREACHCasNo7368; Silicic acid, lead salt \bLREACHCasNo4420; \bLREACHCode0236 \bLREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	40892550313.0

Description

6ES7315-2EH14-0AB0 | Siemens 24 V dc, Simatic S7-300, RS485 | Brand / Manufacturer: Siemens | height: 40 | width: 40 | depth: 130 | mass: 0.34 | product type: Central Processing Unit | supply voltage: 24 V dc | program capacity: 384 kB | power consumption: 750 mA | inrush current: 4 A (Typ.) | CPU processing time: 0.05 | for use with: Simatic S7-300 | number of digital inputs: 0 | interface type: RS485