

6ES7317-2EK14-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7317-2ek14-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.15 kgs
Packaging Size	CM
Product ID	6ES7317-2EK14-0AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 25.11.2009
Configurable Product	False
Country of Origin	DE
EAN	4025515077794.0
ECCN	9N9999
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R132
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,20
Packaging Width	12,80
Packaging Height	5,20
Product Description	SIMATIC S7-300, jednostka centralna CPU 317-2 PN/DP, interfejsy: MPI/DP i Ethernet/PROFINET (switch 2 x RJ45), 1 MB pamięci work, wymagana karta MMC
Product Code	4302
Comparative Metals Coefficient	25.11.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \bLREACHCasNo7368; Silicic acid, lead salt \bLREACHCasNo4420; \bLREACHCode0236 \bLREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7
Unit of Measure	ST
UPC	40892550337.0

Description

6ES7317-2EK14-0AB0 | Siemens CPU Module, 24 Vdc with LAD, FBD, SCL, STL, Graph, HiGraph, CFC | Brand / Manufacturer: Siemens | product type: CPU Module | supply voltage: 24 V dc | program capacity: 1 MB (Working Memory) | power consumption: 750 mA | inrush current: 4 A | CPU processing time: 0.025 μ s (Bit Operation) | for use with: Simatic S7-300 | interface type: RS-485 | a programming language: LAD;FBD;SCL;STL;Graph;HiGraph;CFC | power loss: 4.65 W