

6ES7317-6FF04-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7317-6ff04-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.04 kgs
Product ID	6ES7317-6FF04-0AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85371091
Compliance	Produkt zgodny z RoHS od: 18.03.2011
Configurable Product	False
Country of Origin	DE
EAN	4025515080190.0
ECCN	EAR99H
eClass 6	27-24-22-07
eClass 7.1	27-24-22-07
eClass 8	27-24-22-07
eClass Version 9	27-24-22-07
eClass Version 9.1	27-24-22-07
ETIM 7	EC000236
Group Classification Key	R152
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,10
Packaging Width	12,80
Packaging Height	5,20
Packaging Size	CM
Product Description	SIMATIC S7-300, JEDNOSTKA CENTRALNA FAIL-SAFE CPU 317F-2 DP, INTERFEJSY: MPI/DP I DP, 1.5 MB PAMIĘCI WORK, FUNKCJE FAIL-SAFE WYMAGAJĄ PAKIETU S7 DISTRIBUTED SAFETY W WERSJI V5.2 + SP1 LUB NOWSZEJ, WYMAGANA KARTA MMC
Product Code	4A85
Comparative Metals Coefficient	18.03.2011
Unit of Measure	ST
UPC	40892788624.0

Description

6ES7317-6FF04-0AB0 | Siemens, CPU Module, 24 V dc, Capacity 1536 KB (Working Memory) | Brand / Manufacturer: Siemens | height: 150 | width: 132 | depth: 51 | mass: 0.41 | product type: CPU Module | supply voltage: 24 V dc | program capacity: 1536 KB (Working Memory) | power consumption: 870 mA | inrush current: 4 A | CPU processing time: 0.025 μ s (Bit Operations);0.03 μ s (Word Operations);0.04 μ s (Fixed Point Arithmetic);0.16 μ s (Floating Point Arithmetic) | interface type: Integrated RS485 | a programming language: LAD;FBD;STL;SCL;CFC;GRAPH;HiGraph® | power loss: 4.5 W