

6ES7321-1BP00-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7321-1bp00-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.20 kgs
Product ID	6ES7321-1BP00-0AA0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 31.03.2008
Configurable Product	False
Country of Origin	DE
EAN	4025515075066.0
ECCN	EAR99H
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,20
Packaging Width	13,20
Packaging Height	5,10
Packaging Size	CM
Product Description	SIMATIC S7-300, moduł wejść binarnych SM 321, 64 wejścia/24V DC, wejścia typu sink/source, izolacja optyczna dla grupy 16 kanałów, wymagane bloki terminalowe 6ES7392-1. N00-0AA0 i kable przyłączeniowe 6ES7392-4... 0-0AA0
Product Code	2288
Comparative Metals Coefficient	31.03.2008
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	662643401424.0

Description

6ES7-321-1BP00-0AA0 | Siemens SIMATIC S7-300 Series Digital Input Module, 100 mA (Backplane), 24 V dc, 1.2 to 4.8 ms, 40 x 125 x 112 mm | Brand / Manufacturer: Siemens | product type: Digital Input Module | series: SIMATIC S7-300 | number of contributions: 16;64 | type of contribution: Digital | module type: Digital Input Module | input current: 100 mA (Backplane) | supply voltage: 24 V dc | switch-on time: 1.2 ms (Minimum);4.8 ms (Maximum) | off time: 1.2 ms (Minimum);4.8 ms (Maximum) | Size: 40 x 125 x 112 mm