

6ES7321-1CH20-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7321-1ch20-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.45 kgs
Product ID	6ES7321-1CH20-0AA0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 31.10.2003
Configurable Product	False
Country of Origin	DE
EAN	4025515069928.0
ECCN	EAR99H
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,00
Packaging Width	13,10
Packaging Height	5,00
Packaging Size	CM
Product Description	SIMATIC S7-300, moduł wejść binarnych SM 321, 16 wejść/48-125V DC, izolacja optyczna, wymagana listwa przyłączeniowa 20 PIN
Product Code	2288
Comparative Metals Coefficient	31.10.2003
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	40892693003.0

Description

6ES7-321-1CH20-0AA0 | Siemens SIMATIC S7-300 Series Digital Input Module, 40 mA (Backplane), 48 V dc, 0.1 to 3.5 ms, 40 x 125 x 120 mm | Brand / Manufacturer: Siemens | product type: Digital Input Module | series: SIMATIC S7-300 | number of contributions: 16 | type of contribution: Digital | module type: Digital Input Module | input current: 40 mA (Backplane) | supply voltage: 48 V dc | switch-on time: 0.1 ms (Minimum);3.5 ms (Maximum) | off time: 0.1 ms (Minimum);3.5 ms (Maximum) | Size: 40 x 125 x 120 mm