

6ES7322-1BH01-0AA0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7322-1bh01-0aa0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.18 kgs
Product ID	6ES7322-1BH01-0AA0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 31.03.2008
Configurable Product	False
Country of Origin	DE
EAN	4025515060918.0
ECCN	9N9999
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,30
Packaging Width	12,80
Packaging Height	5,00
Packaging Size	CM
Product Description	SIMATIC S7-300, moduł wyjść binarnych SM 322, 16 wyjść, 24V DC/0.5A, suma prądu wyjścia: 4A na grupę (8A na moduł), izolacja optyczna, wymagana listwa przyłączeniowa 20 PIN
Product Code	2288
Comparative Metals Coefficient	31.03.2008
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	40892560640.0

Description

6ES7-322-1BH01-0AA0 | Siemens SIMATIC S7-300 Series Digital Output Module, 80 mA Input, 5 mA Output, 24 V dc, 40 x 125 x 120 mm | Brand / Manufacturer: Siemens | height: 40 | width: 40 | depth: 120 | mass: 0.19 | product type: Digital Output Module | series: SIMATIC S7-300 | number of results: 16 | type of output: Digital | module type: Digital Output Module | input current: 80 mA (Load Voltage);80 mA (Backplane) | output current: 0.5 A (for Signal 1 Rated Value);5 mA (for Signal 1 Minimum Load Current);0.5 mA (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | Size: 40 x 125 x 120 mm