

### 6ES7322-1BL00-0AA0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 6es7322-1bl00-0aa0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                       |   |
|---------------------------------------|---|
| <b>Weight</b>                         | 0.45 kgs  |
| <b>Product ID</b>                     | 6ES7322-1BL00-0AA0  |
| <b>Notes</b>                          | Wycofanie produktu od: 01.10.2023   |
| <b>AL Field</b>                       | N   |
| <b>Customs Tariff Code</b>            | 85389091  |
| <b>Compliance</b>                     | Produkt zgodny z RoHS od: 31.03.2008  |
| <b>Configurable Product</b>           | False   |
| <b>Country of Origin</b>              | DE  |
| <b>EAN</b>                            | 4025515060932.0   |
| <b>ECCN</b>                           | 9N9999  |
| <b>eClass 6</b>                       | 27-24-22-04   |
| <b>eClass 7.1</b>                     | 27-24-22-04   |
| <b>eClass 8</b>                       | 27-24-22-04   |
| <b>eClass Version 9</b>               | 27-24-22-04   |
| <b>eClass Version 9.1</b>             | 27-24-22-04   |
| <b>ETIM 7</b>                         | EC001419  |
| <b>Group Classification Key</b>       | R151  |
| <b>List of Characteristics</b>        | ST73  |
| <b>Quantity in Package</b>            | 1   |
| <b>Packaging Length</b>               | 15,20   |
| <b>Packaging Width</b>                | 12,80   |
| <b>Packaging Height</b>               | 5,00  |
| <b>Packaging Size</b>                 | CM  |
| <b>Product Description</b>            | SIMATIC S7-300, moduł wyjść binarnych SM 322, 32 wyjścia, 24V DC/0.5A, suma prądu wyjścia: 4A na grupę (16A na moduł), izolacja optyczna, wymagana listwa przyłączeniowa 40 PIN |
| <b>Product Code</b>                   | 2288  |
| <b>Comparative Metals Coefficient</b> | 31.03.2008  |
| <b>REACH</b>                          | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211                                      |
| <b>Unit of Measure</b>                | ST  |
| <b>UPC</b>                            | 40892560664.0   |

## Description

6ES7-322-1BL00-0AA0 | Siemens Digital Output Module 32 I/O 32 O/P Digital | Brand / Manufacturer: Siemens | height: 40 | width: 40 | depth: 120 | mass: 0.26 | product type: Digital Output Module | series: SIMATIC S7 | number of contributions: 32 | number of results: 32 | type of output: Digital | module type: Digital Output Module | input current: 160 mA | supply voltage: 28.8 V dc