

### 6ES7322-1HF01-0AA0

Industrial automation components

|                       |                                  |
|-----------------------|----------------------------------|
| <b>Manufacturer</b>   | Siemens                          |
| <b>Catalog number</b> | 6es7322-1hf01-0aa0               |
| <b>Category</b>       | Industrial automation components |
| <b>Product type</b>   | Industrial automation components |
| <b>Status</b>         | Active product                   |

## Technical specification

|                                       |  |
|---------------------------------------|--|
| <b>Weight</b>                         | 0.24 kgs   |
| <b>Product ID</b>                     | 6ES7322-1HF01-0AA0   |
| <b>Notes</b>                          | Wycofanie produktu od: 01.10.2023  |
| <b>AL Field</b>                       | N  |
| <b>Customs Tariff Code</b>            | 85389091   |
| <b>Compliance</b>                     | Produkt zgodny z RoHS od: 31.03.2008   |
| <b>Configurable Product</b>           | False  |
| <b>Country of Origin</b>              | DE   |
| <b>EAN</b>                            | 4025515061021.0  |
| <b>ECCN</b>                           | N  |
| <b>eClass 6</b>                       | 27-24-22-04  |
| <b>eClass 7.1</b>                     | 27-24-22-04  |
| <b>eClass 8</b>                       | 27-24-22-04  |
| <b>eClass Version 9</b>               | 27-24-22-04  |
| <b>eClass Version 9.1</b>             | 27-24-22-04  |
| <b>ETIM 7</b>                         | EC001419   |
| <b>Group Classification Key</b>       | R151   |
| <b>List of Characteristics</b>        | ST73   |
| <b>Quantity in Package</b>            | 1  |
| <b>Packaging Length</b>               | 15,10  |
| <b>Packaging Width</b>                | 13,10  |
| <b>Packaging Height</b>               | 5,20   |
| <b>Packaging Size</b>                 | CM   |
| <b>Product Description</b>            | SIMATIC S7-300, moduł wyjść binarnych SM 322, 8 wyjść przekaźnikowych, 24V DC/2A lub 230V AC/2A, izolacja optyczna, wymagana listwa przyłączeniowa 20 PIN                      |
| <b>Product Code</b>                   | 2288   |
| <b>Comparative Metals Coefficient</b> | 31.03.2008   |
| <b>REACH</b>                          | Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211 |
| <b>Unit of Measure</b>                | ST   |
| <b>UPC</b>                            | 662643170979.0   |

## Description

6ES7-322-1HF01-0AA0 | Siemens SIMATIC S7-300 Series Digital Output Module, 160 mA (Load Voltage);40 mA (Backplane), 24 V dc, 40 x 125 x 120 mm | Brand / Manufacturer: Siemens | product type: Digital Output Module | series: SIMATIC S7-300 | number of results: 8 | type of output: Digital | module type: Digital Output Module | input current: 160 mA (Load Voltage);40 mA (Backplane) | output current: 2 A (for Signal 1 Rated Value);10 mA (for Signal 1 Minimum Load Current) | supply voltage: 24 V dc | Size: 40 x 125 x 120 mm