

6ES7322-8BH10-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7322-8bh10-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.15 kgs
Product ID	6ES7322-8BH10-0AB0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 04.03.2011
Configurable Product	False
Country of Origin	DE
EAN	4025515079682.0
ECCN	9N9999
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R336
List of Characteristics	STPCS7
Quantity in Package	1
Packaging Length	15,20
Packaging Width	13,20
Packaging Height	5,10
Packaging Size	CM
Product Description	SIMATIC S7/PCS7, digital output SM 322, 16 DO; 24 V DC / 0.5 A, diagnostics-capable, wire break detection with 0 and 1 signal, 1 x 40-pole, interface IM 153-X HF required
Product Code	2489
Comparative Metals Coefficient	04.03.2011
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Silicic acid, lead salt lblREACHCasNo4420; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	40892782745.0

Description

6ES7322-8BH10-0AB0 | Siemens SIMATIC S7/PCS7 Series Digital Output Module, 100 mA Input, 0.6 A Output, 24 V dc, 40 x 125 x 120 mm | Brand / Manufacturer: Siemens | product type: Digital Output Module | series: SIMATIC S7/PCS7 | number of results: 16 | type of output: Digital | module type: Digital Output Module | input current: 100 mA (Load Voltage);100 mA (Backplane) | output current: 0.5 A (for Signal 1 Rated Value);5 mA (for Signal 1 Permissible Range, Min);0.6 A (for Signal 1 Permissible Range, Max);0.7 mA (for Signal 0 Residual Current, Max) | supply voltage: 24 V dc | Size: 40 x 125 x 120 mm