

### 6ES7326-1BK02-0AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7326-1bk02-0ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.22 kgs
<b>Product ID</b>	6ES7326-1BK02-0AB0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85389091
<b>Compliance</b>	Produkt zgodny z RoHS od: 25.11.2009
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>EAN</b>	4025515078234.0
<b>ECCN</b>	9N9999
<b>eClass 6</b>	27-24-22-04
<b>eClass 7.1</b>	27-24-22-04
<b>eClass 8</b>	27-24-22-04
<b>eClass Version 9</b>	27-24-22-04
<b>eClass Version 9.1</b>	27-24-22-04
<b>ETIM 7</b>	EC001419
<b>Group Classification Key</b>	R152
<b>List of Characteristics</b>	ST73
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	15,40
<b>Packaging Width</b>	13,10
<b>Packaging Height</b>	8,90
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7, MODUŁ WEJŚĆ BINARNYCH SM 326 DO SYSTEMÓW FAIL-SAFE, 24 wejścia DC 24V FAILSAFE z DIAGNOSTYKĄ przerwania kabla, WYMAGANA LISTWA PRZYŁĄCZENIOWA 40 PIN
<b>Product Code</b>	2298
<b>Comparative Metals Coefficient</b>	25.11.2009
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \bLREACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts \bLREACHCasNo0211
<b>Unit of Measure</b>	ST
<b>UPC</b>	40892550351.0

## Description

6ES7326-1BK02-0AB0 | Siemens SIMATIC S7 Series Digital Input Module, 450 mA (Load Voltage);100 mA (Backplane), 24 V dc, 3.4 ms, 80 x 125 x 120 mm | Brand / Manufacturer: Siemens | product type: Digital Input Module | series: SIMATIC S7 | number of contributions: 24 | type of contribution: Digital | module type: Digital Input Module | input current: 450 mA (Load Voltage);100 mA (Backplane) | output current: 400 mA | supply voltage: 24 V dc | switch-on time: 3.4 ms | off time: 3.4 ms | Size: 80 x 125 x 120 mm