

6ES7326-2BF10-0AB0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7326-2bf10-0ab0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.03 kgs
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85389091
Compliance	Produkt zgodny z RoHS od: 27.11.2009
Configurable Product	False
Country of Origin	DE
EAN	4025515078289.0
ECCN	9N9999
eClass 6	27-24-22-04
eClass 7.1	27-24-22-04
eClass 8	27-24-22-04
eClass Version 9	27-24-22-04
eClass Version 9.1	27-24-22-04
ETIM 7	EC001419
Group Classification Key	R152
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,40
Packaging Width	12,80
Packaging Height	5,20
Packaging Size	CM
Product Description	SIMATIC S7, MODUŁ WYJŚĆ BINARNYCH SM 326 DO SYSTEMÓW FAIL-SAFE, 10 wyjść DC 24V/2A PP FAILSAFE z DIAGNOSTYką przerwania kabla, WYMAGANA LISTWA PRZYŁACZENIOWA 40 PIN
Product Code	2298
Comparative Metals Coefficient	27.11.2009
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	40892550368.0
Product ID	6ES7326-2BF10-0AB0

Description

6ES7326-2BF10-0AB0 | Siemens SIMATIC S7 Series Digital Output Module, 100 mA Input, 2 A Output, 24 V dc, 40 x 125 x 120 mm | Brand / Manufacturer: Siemens | mass: 0.36 | product type: Digital Output Module | series: SIMATIC S7 | number of results: 10 | type of output: Digital | module type: Digital Output Module | input current: 100 mA (Supply Voltage);100 mA (Backplane) | output current: 2 A (for Signal 1 Rated Value);7 mA (for Signal 1 Permissible Range for 0 to 40 °C, Min);2.4 A (for Signal 1 Permissible Range for 0 to 40 °C, Max);7 mA (for Signal 1 Permissible Range for 40 to 60 °C, Min);2.4 A (for Signal 1 Permissible Range for 40 to 60 °C, Max) | supply voltage: 24 V dc | Size: 40 x 125 x 120 mm