

### 6ES7332-5HF00-0AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7332-5hf00-0ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.15 kgs
<b>Product ID</b>	6ES7332-5HF00-0AB0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85389099
<b>Compliance</b>	Produkt zgodny z RoHS od: 31.12.2008
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>EAN</b>	4025515068686.0
<b>ECCN</b>	9N9999
<b>eClass 6</b>	27-24-22-01
<b>eClass 7.1</b>	27-24-22-01
<b>eClass 8</b>	27-24-22-01
<b>eClass Version 9</b>	27-24-22-01
<b>eClass Version 9.1</b>	27-24-22-01
<b>ETIM 7</b>	EC001420
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	ST73
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	15,20
<b>Packaging Width</b>	12,80
<b>Packaging Height</b>	5,00
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7-300, moduł wyjść analogowych SM 332, 8 wyjść, pomiar U/I; wbudowane funkcje diagnostyczne, rozdzielczość 11/12 BITów, izolacja optyczna, wymagana listwa przyłączeniowa 40 PIN
<b>Product Code</b>	2288
<b>Comparative Metals Coefficient</b>	31.12.2008
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
<b>Unit of Measure</b>	ST
<b>UPC</b>	40892561203.0

## Description

6ES7-332-5HF00-0AB0 | Siemens Analogue Output Module 8 O/P Analogue | Brand /  
Manufacturer: Siemens | height: 40 | width: 40 | depth: 120 | mass: 0.272 | product type:  
Analogue Output Module | series: SIMATIC S7 | number of results: 8 | type of output:  
Analogue | module type: Analogue Output Module | input current: 340 mA | supply voltage:  
24 V dc