

### 6ES7340-1BH02-0AE0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7340-1bh02-0ae0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.45 kgs
<b>Product ID</b>	6ES7340-1BH02-0AE0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85176200
<b>Compliance</b>	Produkt zgodny z RoHS od: 31.03.2008
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>EAN</b>	4025515072553.0
<b>ECCN</b>	EAR99H
<b>eClass 6</b>	27-24-22-08
<b>eClass 7.1</b>	27-24-22-08
<b>eClass 8</b>	27-24-22-08
<b>eClass Version 9</b>	27-24-22-08
<b>eClass Version 9.1</b>	27-24-22-08
<b>ETIM 7</b>	EC001423
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	ST73
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	15,10
<b>Packaging Width</b>	13,10
<b>Packaging Height</b>	5,10
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7-300, procesor komunikacyjny CP 340 z interfejsem 20MA (TTY), pakiet konfiguracyjny na CD
<b>Product Code</b>	2289
<b>Comparative Metals Coefficient</b>	31.03.2008
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) \b\REACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts \b\REACHCasNo0211
<b>Unit of Measure</b>	ST
<b>UPC</b>	662643118360.0

## Description

6ES7-340-1BH02-0AE0 | Siemens, Communication Processor Module for HP-Deskjet, 24 V dc, 190 mA, 19.2 kBit/s, TTY Interface, DIN Rail Mount, 40 x 120 x 125 mm | Brand / Manufacturer: Siemens | product type: Communication Processor Module | supply voltage: 24 V dc | current rating: 190 mA | for use with: HP-Deskjet;HP-Laserjet;IBM-Proprinter | data transfer indicator: 19.2 kbit/s | interface type: TTY Interface | type of attachment: DIN Rail Mount | Size: 40 x 120 x 125 mm | minimum operating temperature: -40 °C