

6ES7340-1CH02-0AE0

Industrial automation components

Manufacturer	Siemens
Catalog number	6es7340-1ch02-0ae0
Category	Industrial automation components
Product type	Industrial automation components
Status	Active product

Technical specification

Weight	0.16 kgs
Product Description	SIMATIC S7-300, procesor komunikacyjny CP 340 z interfejsem RS422/485, pakiet konfiguracyjny na CD
Product Code	2289
Comparative Metals Coefficient	31.03.2008
REACH	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
Unit of Measure	ST
UPC	40892562330.0
Product ID	6ES7340-1CH02-0AE0
Notes	Wycofanie produktu od: 01.10.2023
AL Field	N
Customs Tariff Code	85176200
Compliance	Produkt zgodny z RoHS od: 31.03.2008
Configurable Product	False
Country of Origin	DE
EAN	4025515072560.0
ECCN	EAR99H
eClass 6	27-24-22-08
eClass 7.1	27-24-22-08
eClass 8	27-24-22-08
eClass Version 9	27-24-22-08
eClass Version 9.1	27-24-22-08
ETIM 7	EC001423
Group Classification Key	R151
List of Characteristics	ST73
Quantity in Package	1
Packaging Length	15,20
Packaging Width	13,10
Packaging Height	5,00
Packaging Size	CM

Description

6ES7-340-1CH02-0AE0 | Siemens Communication Module, 24 V dc, 165 mA, 2.4 to 19.2 kbit/s, RS422, 40 x 125 x 120 mm, 300 g | Brand / Manufacturer: Siemens | height: 130 | product type: Communication Module | module type: Communication Module | supply voltage: 24 V dc | current rating: 165 mA (Backplane Bus) | data transfer indicator: 2.4 kbit/s (Minimum);19.2 kbit/s (Maximum) | interface type: RS-422;RS-485 | Size: 40 x 125 x 120 mm | minimum operating temperature: 0 °C | maximum working temperature: 60 °C | mass: 300 g | length: 125 mm | width: 40 mm | depth: 120 mm