

### 6ES7352-5AH11-0AE0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7352-5ah11-0ae0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.45 kgs
<b>Product ID</b>	6ES7352-5AH11-0AE0
<b>Notes</b>	Wycofanie produktu od: 01.10.2023
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85389091
<b>Compliance</b>	Produkt zgodny z RoHS od: 30.07.2010
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>EAN</b>	4025515078845.0
<b>ECCN</b>	EAR99H
<b>eClass 6</b>	27-24-22-05
<b>eClass 7.1</b>	27-24-22-05
<b>eClass 8</b>	27-24-22-05
<b>eClass Version 9</b>	27-24-22-05
<b>eClass Version 9.1</b>	27-24-22-05
<b>ETIM 7</b>	EC001422
<b>Group Classification Key</b>	R151
<b>List of Characteristics</b>	ST73
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	15,50
<b>Packaging Width</b>	13,10
<b>Packaging Height</b>	8,90
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7-300, moduł szybkich operacji binarnych (Boole'a) FM352-5 do szybkich operacji logicznych, 12 wejść binarnych / 8 wyjść binarnych typu SOURCE, 1 INTERFEJS DO ENKODERÓW INKREMENTALNYCH RS 422/SSI, WYMAGANA LISTWA PRZYŁĄCZENIOWA 40 PIN
<b>Product Code</b>	2289
<b>Comparative Metals Coefficient</b>	30.07.2010
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; Lead monoxide (lead oxide) lblREACHCasNo7368; lblREACHCode0236 lblREACHCasNo0236; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Perfluorobutane sulfonic acid (PFBS) and its salts lblREACHCasNo0211
<b>Unit of Measure</b>	ST
<b>UPC</b>	40892550405.0

## Description

6ES7352-5AH11-0AE0 | Siemens, High Speed Boolean Processor, 24 V dc, 6.5 W, 24 V | Brand / Manufacturer: Siemens | mass: 0.49 | product type: High Speed Boolean Processor | supply voltage: 24 V dc | number of digital inputs: 8 | number of digital outputs: 8