

### 6ES7414-2XL07-0AB0

Industrial automation components

<b>Manufacturer</b>	Siemens
<b>Catalog number</b>	6es7414-2xl07-0ab0
<b>Category</b>	Industrial automation components
<b>Product type</b>	Industrial automation components
<b>Status</b>	Active product

## Technical specification

<b>Weight</b>	0.01 kgs
<b>Product ID</b>	6ES7414-2XL07-0AB0
<b>AL Field</b>	N
<b>Customs Tariff Code</b>	85371091
<b>Compliance</b>	Produkt zgodny z RoHS od: 27.02.2015
<b>Configurable Product</b>	False
<b>Country of Origin</b>	DE
<b>EAN</b>	4047622148860.0
<b>ECCN</b>	9N9999
<b>eClass 6</b>	27-24-22-07
<b>eClass 7.1</b>	27-24-22-07
<b>eClass 8</b>	27-24-22-07
<b>eClass Version 9</b>	27-24-22-07
<b>eClass Version 9.1</b>	27-24-22-07
<b>ETIM 7</b>	EC000236
<b>Group Classification Key</b>	R338
<b>List of Characteristics</b>	ST74
<b>Quantity in Package</b>	1
<b>Packaging Length</b>	30,20
<b>Packaging Width</b>	23,30
<b>Packaging Height</b>	3,80
<b>Packaging Size</b>	CM
<b>Product Description</b>	SIMATIC S7-400, CPU 414-2 Central processing unit with: Work memory 2 MB, (1 MB code, 1 MB data), 1st interface MPI/DP 12 Mbit/s, 2nd interface PROFIBUS DP,
<b>Product Code</b>	4040
<b>Comparative Metals Coefficient</b>	27.02.2015
<b>REACH</b>	Lead CAS-Nr. 7439-92-1; 4,4'-isopropylidenediphenol (Bisphenol A, BPA) CAS-Nr. 80-05-7; Lead monoxide (lead oxide) lblREACHCasNo7368
<b>Unit of Measure</b>	ST
<b>UPC</b>	804766336621.0

## Description

6ES7414-2XL07-0AB0 | Siemens, CPU Module, 24 V dc, 2 MB, 300 mA, PROFIBUS/RS485 | Brand / Manufacturer: Siemens | product type: CPU Module | supply voltage: 24 V dc | program capacity: 2 MB | power consumption: 300 mA | number of digital inputs: 65536 (Channel) | number of digital outputs: 65536 (Channel) | interface type: PROFIBUS;RS485 | a programming language: LAD;FBD;STL;SCL;GRAPH;HiGraph® | power loss: 5.5 W